Math 126
Spring 2017
Dr. Lily Yen

Test 1

Show all your work

Name: _____
Number: _____
Signature: _____
Score: ___/45

No Calculator permitted in this part. Read the questions carefully. Show all your work and clearly indicate your final answer. Use proper notation.

Problem 1: Use the figure to find the values of the following.



a. $\int_a^b f(x)\,dx =$ ____

b. $\int_a^c f(x)\,dx =$ ____

c. $\int_a^d |f(x)|\,dx =$ ____

Score: /3

Problem 2: Use the definition of the definite integral to write $\int_0^\pi e^{-x^2}\,dx$ as a limit of a Riemann sum. Specify your choice of summand as an R_n, L_n, or M_n.

Score: /2

Problem 3: Express the following in the form $\int_a^b f(t)\,dt$.

$$\lim_{n\to\infty}\left(\frac{1}{n}\sum_{j=1}^{n}\frac{\cos(2+\frac{j(5-\pi)}{n})}{\frac{j(5-\pi)}{n}}\right) = \quad \boxed{}$$

Score: /4

/9

Problem 4: Integrate the following analytically. Evaluate each definite integral.

a. $\displaystyle\int_{4a}^{2b} \cot(\theta/2)\csc(\theta/2)\,d\theta$

Score: /3

b. $\displaystyle\int \frac{e^{-x}}{(e^{-x}+5)^4}\,dx$

Score: /3

c. $\displaystyle\int_0^{2/5} \frac{du}{\sqrt{4-25u^2}}$

Score: /4

Problem 5: Use the Fundamental Theorem of Calculus to evaluate the following.

a. Let $f(x) = \displaystyle\int_{x^2}^{5/x} \frac{1+t^2}{\sin(t)}\,dt$. Find df/dx.

b. Find $\displaystyle\frac{d}{dx}\left(\int_2^{15} ue^{3u^4-2}\,du\right)$.

Score: /3

/13

Math 126
Spring 2017
Dr. Lily Yen

Test 1

Show all your work

Name: _____

Number: _____

Calculators permitted from here on.

Problem 6: Speedy Gonzales moves back and forth in a straight tunnel, attracted to bits of cheddar cheese alternately introduced to and removed from the ends (right and left) of the tunnel. His velocity (in m/s) is described by

$$v(t) = 0.2 + \frac{3\sin(\pi t/4)}{t}$$

Estimate change in displacement in the first 10 seconds from Speedy's original position at $t = 0$. Use rectangular approximation method to fill the table below accurate to 4 decimal places. Specify your graphing calculator commands above the table. Find the limit next to the table.

Approx	$n = 10$	$n = 100$
L_n		
M_n		
R_n		

Evaluate total distance travelled by Speedy in the first 10 seconds. Provide 4 decimal places.

Score: /5

Problem 7: A Porsche and a Rolls start from rest at a traffic light and accelerate for several minutes. The figure below shows their velocities as a function of time.



a. Which car is ahead after 70 s? Provide reason.

b. Which car is ahead after 2.5 minutes? By how much? Provide reason and supporting computation.

Score: /4

/9

Problem 8: Define $A(x) = \int_0^x f(t)\,dt$ for x in $[0, 6]$, where the function f is shown below.



a. Evaluate $A(4) - A(2) =$ _____

b. Within the open interval $(0, 6)$, where does A attain an extremum? An absolute minimum or an absolute maximum?

c. Order the quantities from least to greatest: (i) $A(6)$; (ii) $|A(4)|$; (iii) $A(6) - A(4)$.

d. Graph $y = A(x)$ on the grid provided.

Score: /5

Problem 9: Burnaby wishes to measure the quantity of water that is piped to the oil refinery during a typical morning. A gauge on the water line gives the flow rate (in cubic metres per hour) at any instant. The flow rate is about $100\,\text{m}^3/\text{hr}$ at 6 am and increases steadily to about $280\,\text{m}^3/\text{hr}$ at 9 am.

a. Sketch the flow rate in the time interval given. Clearly label your axes and the graph.



b. Using only this information, give your best estimate of the total volume of water used by the refinery between 6 am and 9 am.

Score: /4

Problem 10: Miles jumped out of an airplane but his parachute failed to open. His downward velocity in m/s, t seconds after the jump was approximated by $v(t) = \dfrac{g}{k}(1 - e^{-kt})$, where $g = 9.8\,\text{m/s}^2$ and $k = 0.2\,/\text{s}$.

If he jumped from 5000 m above the ground, how long would it take Miles to hit the ground?

Score: /5

/14